



REQUEST FOR PROPOSAL  
ADDENDUM NUMBER ONE (1)

DATE: NOVEMBER 15, 2018  
RE: RFP #2019-06 – SOUTH CENTRAL ORIGINAL TOWNSITE DRAINAGE IMPROVEMENTS  
OWNER: CITY OF EDINBURG  
TO: HOLDERS OF RFP, AND ALL INTERESTED PARTIES TO THE CITY OF EDINBURG

-----  
The following changes shall become part of the Request for Proposals for **RFP #2019-06- SOUTH CENTRAL ORIGINAL TOWNSITE DRAINAGE IMPROVEMENTS**

**SPECIFICATIONS ADDENDUM ITEM AS SPECIFIED BELOW:**

**TO CORRECT & CHANGE: A REVISED PROPOSAL HAS BEEN INCLUDED WITH THIS ADDENDUM. THE CONTRACTOR NEEDS TO INCLUDE CALENDAR DAYS IN THE PROJECT (THERE IS A LINE ITEM AT THE END OF THE PROPOSED) AND WATER IMPROVEMENTS SECTION HAS BEEN ADDED TO THE REVISED PROPOSAL. PLEASE USE THIS REVISED PROPOSAL WHEN SUBMITTING YOUR BID.**

**PLEASE ACKNOWLEDGE RECEIPT OF THIS ADDENDUM IN THE SPACE PROVIDED BELOW AND RETURN TO MS. LORENA FUENTES, PURCHASING AGENT VIA EMAIL TO [lfuentes@cityofedinburg.com](mailto:lfuentes@cityofedinburg.com). PLEASE INCLUDE THIS FORM IN YOUR PROPOSAL.**

NAME: \_\_\_\_\_ TITLE: \_\_\_\_\_

COMPANY: \_\_\_\_\_

If you have any questions or require additional information, do not hesitate to contact Ms. Lorena Fuentes, Purchasing Agent at (956) 388-1895.

  
\_\_\_\_\_  
Lorena Fuentes, Purchasing Agent

**REVISED PROPOSAL  
BID FOR UNIT PRICE CONTRACT**

Place: Edinburg, Texas

Date: November 19, 2018

Proposal of \_\_\_\_\_ (hereinafter called "Bidder") \* a corporation,  
organized and existing under the laws of the State of \_\_\_\_\_, \* a partnership, or an  
individual doing business as \_\_\_\_\_.

To the **City of Edinburg** \_\_\_\_\_

\_\_\_\_\_ (hereinafter called "Owner")

Gentlemen:

The Bidder, in compliance with your invitation for bids for the South Central Original Townsite Drainage Improvements, City of Edinburg, having examined the plans and specifications with related documents and the site of the proposed work, and being familiar with all of the conditions surrounding the construction of the proposed project including the availability of materials, and supplies, and to construct the project in accordance with the contract documents, of which this proposal is a part.

Bidder hereby agrees to commence work under this contract on or before a date to be specified in written "Notice to Proceed" of the Owner and to fully complete the project within \_\_\_\_\_ calendar days thereafter as stipulated in the specifications. Bidder further agrees to pay as liquidated damages, the sum of \$500.00 for each consecutive calendar day thereafter as hereinafter provided in Paragraph 41 of the General Conditions.

Bidder acknowledges receipt of the following addendum:

\_\_\_\_\_  
\_\_\_\_\_

\*Insert corporation, partnership or individual as applicable.

ENGINEER'S ESTIMATE OF QUANTITIES – APPROXIMATE ONLY

<u>No.</u>	<u>Item</u>	<u>Quantity</u>	<u>Unit</u>	<u>Unit Price</u>	<u>Total Price</u>
STORM SEWER IMPROVEMENTS: Sprague Street (19 <sup>th</sup> Ave to 8 <sup>th</sup> Ave)					
1.	24" Storm sewer (6'-8' cut)	150	LF	_____	_____
2.	24" Storm sewer (8'-10' cut)	100	LF	_____	_____
3.	36" Storm sewer (10'-12' cut)	347	LF	_____	_____
4.	42" Storm sewer (10'-12' cut)	474	LF	_____	_____
5.	42" Storm sewer (12'-14' cut)	566	LF	_____	_____
6.	42" Dry bore Class V ASTM C-76 (12'-14' cut)	104	LF	_____	_____
7.	48" Storm sewer (12'-14' cut)	480	LF	_____	_____
8.	48" Storm sewer (14'-16' cut)	607	LF	_____	_____
9.	72" Storm sewer (10'-12' cut)	240	LF	_____	_____
10.	72" Storm sewer (12'-14' cut)	1078	LF	_____	_____
11.	72" Storm sewer (14'-16' cut)	125	LF	_____	_____
12.	Trench excavation protection	4271	LF	_____	_____
13.	60" Manhole (10'-12' cut)	1	EA	_____	_____
14.	72" Manhole (10'-12' cut)	2	EA	_____	_____
15.	Type "A" curb inlet (6'-8' cut)	5	EA	_____	_____

16.	Type "A" curb inlet (8'-10' cut)	8	EA	_____	_____
17.	Type "CC" grate inlet (6'-8' cut)	2	EA	_____	_____
18.	Junction box #1 (Bid to be inclusive of connections; excavation protection; concrete; foundation: base foundation preparation; subgrade preparation; traffic control; bypass pumping (if required); dewatering (if required); Pavement repair; complete in place.)	Lump Sum		_____	_____
19.	Junction box #2 (Bid to be inclusive of connections; excavation protection; concrete; foundation: base foundation preparation; subgrade preparation; traffic control; bypass pumping (if required); dewatering (if required); pavement repair; complete in place.)	Lump Sum		_____	_____
20.	Junction box #3 (Bid to be inclusive of connections; excavation protection; concrete; foundation: base foundation preparation; subgrade preparation; traffic control; bypass pumping (if required); dewatering (if required); pavement repair; complete in place.)	Lump Sum		_____	_____
21.	Junction box #4 (Bid to be inclusive of connections; excavation protection; concrete; foundation: base foundation preparation; subgrade preparation; traffic control; bypass pumping (if required); dewatering (if required); pavement repair; complete in place)	Lump Sum		_____	_____
22.	Junction box #5 (Bid to be inclusive of connections; excavation protection; concrete; foundation: base foundation preparation; subgrade preparation; traffic control; bypass pumping (if required); dewatering (if required); pavement repair; complete in place )	Lump Sum		_____	_____

23. Junction box #6 (Bid to be inclusive of connections; excavation protection; concrete; foundation: base foundation preparation; subgrade preparation; traffic control; bypass pumping (if required); dewatering (if required); pavement repair; complete in place) Lump Sum \_\_\_\_\_
24. Junction box #7 (Bid to be inclusive of connections; excavation protection; concrete; foundation: base foundation preparation; subgrade preparation; traffic control; bypass pumping (if required); dewatering (if required); pavement repair; complete in place ) Lump Sum \_\_\_\_\_
25. Junction box #8 (Bid to be inclusive of connections; excavation protection; concrete; foundation: base foundation preparation; subgrade preparation; traffic control; bypass pumping (if required); dewatering (if required); pavement repair; complete in place ) Lump Sum \_\_\_\_\_
26. Junction box #9 (Bid to be inclusive of connections; excavation protection; concrete; foundation: base foundation preparation; subgrade preparation; traffic control; bypass pumping (if required); dewatering (if required); pavement repair; complete in place) Lump Sum \_\_\_\_\_
27. Junction box #12 (Bid to be inclusive of connections; excavation protection; concrete; foundation: base foundation preparation; subgrade preparation; traffic control; bypass pumping (if required); dewatering (if required); pavement repair; complete in place ) Lump Sum \_\_\_\_\_

- |     |  |          |       |       |
|-----|--|----------|-------|-------|
| 28. | Junction box #13 (Bid to be inclusive of connections; excavation protection; concrete; foundation: base foundation preparation; subgrade preparation; traffic control; bypass pumping (if required); dewatering (if required); pavement repair; complete in place) | Lump Sum | _____ | _____ |
| 29. | Remove exist storm pipes, manholes, Inlets, etc.   | Lump Sum | _____ | _____ |
| 30. | Traffic control as per plan  | Lump Sum | _____ | _____ |

*NOTE: Manholes & inlets to include connections to existing pipes as per plan.*

Total Storm Sewer for Sprague Street: (19<sup>th</sup> to 8<sup>th</sup> Ave)     \$ \_\_\_\_\_

PAVING IMPROVEMENTS: Sprague Street (19<sup>th</sup> Ave to 8<sup>th</sup> Ave)

- |    |  |          |       |       |
|----|--|----------|-------|-------|
| 1. | Salvaged 8" compacted caliche Base w/prime coat                  | 9072 SY  | _____ | _____ |
| 2. | Mill 1 1/2" of undisturbed asphalt                               | 9072 SY  | _____ | _____ |
| 3. | 2" Hot mix asphaltic concrete With tack coat (2 courses 1" each) | 18145 SY | _____ | _____ |
| 4. | Striping & markings (match existing)                             | Lump Sum | _____ | _____ |

Total Paving Improvements: Sprague Street (19<sup>th</sup> to 8<sup>th</sup>)     \$ \_\_\_\_\_

STORM SEWER IMPROVEMENTS: 8<sup>th</sup> AVE (Sprague to Champion)

- |    |                               |        |       |       |
|----|-------------------------------|--------|-------|-------|
| 1. | 30" Storm sewer (8'-10' cut)  | 250 LF | _____ | _____ |
| 2. | 30" Storm sewer (10'-12' cut) | 500 LF | _____ | _____ |
| 3. | Trench excavation protection  | 750 LF | _____ | _____ |

4.	72" Manhole (8'-10' cut) includes Pipe connections	1	EA	_____	_____
5.	Type "A" curb inlet (8'-10' cut)	1	EA	_____	_____
6.	Type "CC" grate inlet (8'-10' cut)	1	EA	_____	_____
7.	Type "CC" grate inlet (10'-12' cut)	2	EA	_____	_____
8.	Remove exist storm pipe, manholes, Inlets, etc.		Lump Sum	_____	_____
9.	Traffic Control as per plan		Lump Sum	_____	_____

*NOTE: Manholes & inlets to include connections to existing pipes as per plan.*

Total Storm Sewer for 8<sup>th</sup> Street: (Sprague to Champion): \$ \_\_\_\_\_

PAVING IMPROVEMENTS: 8<sup>th</sup> Ave. (Sprague to Champion)

1.	Salvaged 8" compacted caliche Base w/prime coat	968	SY	_____	_____
2.	2" Hot mix asphaltic concrete With tack coat (2 courses 1" each)	968	SY	_____	_____

Total Paving Improvements: 8<sup>th</sup> Ave. (Sprague to Champion) \$ \_\_\_\_\_

STORM SEWER IMPROVEMENTS: 12<sup>th</sup> Ave (Sprague to Champion)

1.	24" Storm sewer (6'-8' cut)	240	LF	_____	_____
2.	24" Storm sewer (12'-14' cut)	730	LF	_____	_____
3.	60" Manhole (12'-14' cut)	2	EA	_____	_____
4.	72" Manhole (12'-14' cut)	1	EA	_____	_____
5.	Type "CC" grate inlet (6'-8' cut)	8	EA	_____	_____
6.	Traffic control as per plan		Lump Sum	_____	_____

*NOTE: Manholes & inlets to include connections to existing pipes as per plan.*

Total Storm Sewer Improvements: 12<sup>th</sup> Ave (Sprague to Champion) \$ \_\_\_\_\_

PAVING IMPROVEMENTS: 12<sup>th</sup> Ave. (Sprague to Champion)

1.	Salvaged 8" compacted caliche Base w/prime coat	1117 SY	_____	_____
2.	Mill 1 1/2" of undisturbed asphalt	2235 SY	_____	_____
3.	2" Hot mix asphaltic concrete With tack coat (2 courses 1" each)	3352 SY	_____	_____
4.	Striping & markings (match existing)	Lump Sum	_____	_____

Total Paving Improvements: 12<sup>th</sup> Ave. (Sprague to Champion) \$ \_\_\_\_\_

STORM SEWER IMPROVEMENTS: 15<sup>th</sup> Ave. (Sprague to Champion)

1.	24" Storm sewer (0'-6' cut)	30	LF	_____	_____
2.	24" Storm sewer (6'-8' cut)	120	LF	_____	_____
3.	24" Storm sewer (10'-12' cut)	227	LF	_____	_____
4.	24" Storm sewer (12'-14' cut)	500	LF	_____	_____
5.	60" Manhole (12'-14' cut)	1	EA	_____	_____
6.	72" Manhole (10'-12' cut)	1	EA	_____	_____
7.	Type "CC" grate inlet (0'-6' cut)	2	EA	_____	_____
8.	Type "CC" grate inlet (6'-8' cut)	4	EA	_____	_____
9.	Traffic Control as per plan	Lump Sum		_____	_____



*NOTE: Manholes & inlets to include connections to existing pipes as per plan.*

Total Storm Sewer Improvements: 15<sup>th</sup> Ave (Sprague to Champion) \$ \_\_\_\_\_

PAVING IMPROVEMENTS: 15<sup>th</sup> Ave. (Sprague to Champion)

1.	Salvaged 8" compacted caliche Base w/prime coat	875 SY	_____	_____
2.	Mill 1 1/2" of undisturbed asphalt	1750 SY	_____	_____
3.	2" Hot mix asphaltic concrete With tack coat (2 courses 1" each)	2625 SY	_____	_____
4.	Striping & markings (match existing)	Lump Sum	_____	_____

Total Paving Improvements: 15<sup>th</sup> Ave. (Sprague to Champion) \$ \_\_\_\_\_

SANITARY SEWER IMPROVEMENTS: Sprague Street (14<sup>th</sup> Ave to 10<sup>th</sup> Ave)

1.	15" PVC SDR26 (0'-6' cut)	400	LF	_____	_____
2.	15" PVC SDR26 (6'-8' cut)	500	LF	_____	_____
3.	15" PVC SDR26 (8'-10' cut)	585	LF	_____	_____
4.	Manhole (0'-6' cut)	1	EA	_____	_____
5.	Manhole (6'-8' cut)	1	EA	_____	_____
6.	15" PVC SDR26 (0'-6' cut)	400	LF	_____	_____
7.	15" PVC SDR26 (6'-8' cut)	500	LF	_____	_____
8.	15" PVC SDR26 (8'-10' cut)	585	LF	_____	_____
9.	Manhole (0'-6' cut)	1	EA	_____	_____
10.	Manhole (6'-8' cut)	1	EA	_____	_____

SANITARY SEWER IMPROVEMENTS: Sprague Street (14<sup>th</sup> Ave to 10<sup>th</sup> Ave)

11.	15" PVC SDR26 (0'-6' cut)	400	LF	_____	_____
12.	15" PVC SDR26 (6'-8' cut)	500	LF	_____	_____
13.	15" PVC SDR26 (8'-10' cut)	585	LF	_____	_____
14.	Manhole (0'-6' cut)	1	EA	_____	_____
15.	Manhole (6'-8' cut)	1	EA	_____	_____
16.	Manhole (8'-10' cut)	1	EA	_____	_____
17.	Bore 24" steel casing 6' deep (Closner Blvd)	1	EA	_____	_____
18.	Connect to existing manhole	2	EA	_____	_____
19.	4" Sanitary Sewer services	40	EA	_____	_____

*NOTE: Manholes & inlets to include connections to existing pipes as per plan.*

Total Sanitary Sewer Improvements: Sprague \$ \_\_\_\_\_

WATER IMPROVEMENTS:

1.	12" waterline	400	LF	_____	_____
2.	12" Coupling	10	EA	_____	_____
3.	12" Gate valves	10	EA	_____	_____
4.	¾" water services	40	EA	_____	_____
5.	6" waterline	800	LF	_____	_____
6.	6" Coupling	10	EA	_____	_____
7.	6" Gate valve	10	EA	_____	_____

Total Water Improvements: \$ \_\_\_\_\_

**Calendar Days:** \_\_\_\_\_

**Total Improvements:**

\$ \_\_\_\_\_

---

(Total In Words)

The above unit prices shall include all labor, materials, bailing, shoring, removal, overhead, profit, insurance, etc., to cover the finished work of the several kinds called for.

Bidder understands that the Owner reserves the right to reject any or all bids and to waive any informalities in the bidding.

The bidder agrees that this bid shall be good and may not be withdrawn for a period of 30 calendar days after the scheduled closing time for receiving bids.

Upon receipt of written notice of the acceptance of this bid, bidder will execute the formal contract attached within 10 days and deliver a Surety Bond or Bonds as required by Paragraph 46 of the General Conditions. The Bid security attached in the sum \_\_\_\_\_ is to become the property of the Owner in the event the contract and bond are not executed within the time above set forth, as liquidated damages for the delay and additional expense to the Owner cause thereby.

Respectfully submitted:

By: \_\_\_\_\_

(SEAL-if bid us by a corporation).

\_\_\_\_\_  
(Business Address & Zip Code)