



REQUEST FOR PROPOSAL
ADDENDUM NUMBER TWO (2)

DATE: NOVEMBER 16, 2018
RE: RFP #2019-06 – SOUTH CENTRAL ORIGINAL TOWNSITE DRAINAGE IMPROVEMENTS
OWNER: CITY OF EDINBURG
TO: HOLDERS OF RFP, AND ALL INTERESTED PARTIES TO THE CITY OF EDINBURG

The following changes shall become part of the Request for Proposals for **RFP #2019-06- SOUTH CENTRAL ORIGINAL TOWNSITE DRAINAGE IMPROVEMENTS**

SPECIFICATIONS ADDENDUM ITEM AS SPECIFIED BELOW:

TO CORRECT & CHANGE: THERE WAS AN ERROR IN THE SANITARY SEWER IMPROVEMENTS SECTION OF THE PROPOSAL. THE 2ND REVISED PROPOSAL REFLECTS THE CORRECTIONS. PLEASE DISREGARD THE PROPOSAL ISSUED WITH ADDENDUM #1 AND USE THIS 2ND REVISED PROPOSAL WHEN SUBMITTING YOUR BID.

PLEASE ACKNOWLEDGE RECEIPT OF THIS ADDENDUM IN THE SPACE PROVIDED BELOW AND RETURN TO MS. LORENA FUENTES, PURCHASING AGENT VIA EMAIL TO lfuentes@cityofedinburg.com. PLEASE INCLUDE THIS FORM IN YOUR PROPOSAL.

NAME: _____ TITLE: _____

COMPANY: _____

If you have any questions or require additional information, do not hesitate to contact Ms. Lorena Fuentes, Purchasing Agent at (956) 388-1895.

Lorena Fuentes, Purchasing Agent

**2ND REVISED PROPOSAL
BID FOR UNIT PRICE CONTRACT**

Place: Edinburg, Texas

Date: November 19, 2018

Proposal of _____ (hereinafter called "Bidder") * a corporation,
organized and existing under the laws of the State of _____, * a partnership, or an
individual doing business as _____.

To the **City of Edinburg**

_____ (hereinafter called "Owner")

Gentlemen:

The Bidder, in compliance with your invitation for bids for the South Central Original Townsite Drainage Improvements, City of Edinburg, having examined the plans and specifications with related documents and the site of the proposed work, and being familiar with all of the conditions surrounding the construction of the proposed project including the availability of materials, and supplies, and to construct the project in accordance with the contract documents, of which this proposal is a part.

Bidder hereby agrees to commence work under this contract on or before a date to be specified in written "Notice to Proceed" of the Owner and to fully complete the project within _____ calendar days thereafter as stipulated in the specifications. Bidder further agrees to pay as liquidated damages, the sum of \$500.00 for each consecutive calendar day thereafter as hereinafter provided in Paragraph 41 of the General Conditions.

Bidder acknowledges receipt of the following addendum:

*Insert corporation, partnership or individual as applicable.

ENGINEER'S ESTIMATE OF QUANTITIES – APPROXIMATE ONLY

| <u>No.</u> | <u>Item</u> | <u>Quantity</u> | <u>Unit</u> | <u>Unit Price</u> | <u>Total Price</u> |
|--|--|-----------------|-------------|-------------------|--------------------|
| STORM SEWER IMPROVEMENTS: Sprague Street (19 th Ave to 8 th Ave) | | | | | |
| 1. | 24" Storm sewer (6'-8' cut) | 150 | LF | _____ | _____ |
| 2. | 24" Storm sewer (8'-10' cut) | 100 | LF | _____ | _____ |
| 3. | 36" Storm sewer (10'-12' cut) | 347 | LF | _____ | _____ |
| 4. | 42" Storm sewer (10'-12' cut) | 474 | LF | _____ | _____ |
| 5. | 42" Storm sewer (12'-14' cut) | 566 | LF | _____ | _____ |
| 6. | 42" Dry bore Class V ASTM C-76 (12'-14' cut) | 104 | LF | _____ | _____ |
| 7. | 48" Storm sewer (12'-14' cut) | 480 | LF | _____ | _____ |
| 8. | 48" Storm sewer (14'-16' cut) | 607 | LF | _____ | _____ |
| 9. | 72" Storm sewer (10'-12' cut) | 240 | LF | _____ | _____ |
| 10. | 72" Storm sewer (12'-14' cut) | 1078 | LF | _____ | _____ |
| 11. | 72" Storm sewer (14'-16' cut) | 125 | LF | _____ | _____ |
| 12. | Trench excavation protection | 4271 | LF | _____ | _____ |
| 13. | 60" Manhole (10'-12' cut) | 1 | EA | _____ | _____ |
| 14. | 72" Manhole (10'-12' cut) | 2 | EA | _____ | _____ |
| 15. | Type "A" curb inlet (6'-8' cut) | 5 | EA | _____ | _____ |

| | | | | | |
|-----|---|---|----------|-------|-------|
| 16. | Type "A" curb inlet (8'-10' cut) | 8 | EA | _____ | _____ |
| 17. | Type "CC" grate inlet (6'-8' cut) | 2 | EA | _____ | _____ |
| 18. | Junction box #1 (Bid to be inclusive of connections; excavation protection; concrete; foundation: base foundation preparation; subgrade preparation; traffic control; bypass pumping (if required); dewatering (if required); Pavement repair; complete in place.) | | Lump Sum | _____ | _____ |
| 19. | Junction box #2 (Bid to be inclusive of connections; excavation protection; concrete; foundation: base foundation preparation; subgrade preparation; traffic control; bypass pumping (if required); dewatering (if required); pavement repair; complete in place.) | | Lump Sum | _____ | _____ |
| 20. | Junction box #3 (Bid to be inclusive of connections; excavation protection; concrete; foundation: base foundation preparation; subgrade preparation; traffic control; bypass pumping (if required); dewatering (if required); pavement repair; complete in place.) | | Lump Sum | _____ | _____ |
| 21. | Junction box #4 (Bid to be inclusive of connections; excavation protection; concrete; foundation: base foundation preparation; subgrade preparation; traffic control; bypass pumping (if required); dewatering (if required); pavement repair; complete in place) | | Lump Sum | _____ | _____ |
| 22. | Junction box #5 (Bid to be inclusive of connections; excavation protection; concrete; foundation: base foundation preparation; subgrade preparation; traffic control; bypass pumping (if required); dewatering (if required); pavement repair; complete in place) | | Lump Sum | _____ | _____ |

23. Junction box #6 (Bid to be inclusive of connections; excavation protection; concrete; foundation: base foundation preparation; subgrade preparation; traffic control; bypass pumping (if required); dewatering (if required); pavement repair; complete in place) Lump Sum _____
24. Junction box #7 (Bid to be inclusive of connections; excavation protection; concrete; foundation: base foundation preparation; subgrade preparation; traffic control; bypass pumping (if required); dewatering (if required); pavement repair; complete in place) Lump Sum _____
25. Junction box #8 (Bid to be inclusive of connections; excavation protection; concrete; foundation: base foundation preparation; subgrade preparation; traffic control; bypass pumping (if required); dewatering (if required); pavement repair; complete in place) Lump Sum _____
26. Junction box #9 (Bid to be inclusive of connections; excavation protection; concrete; foundation: base foundation preparation; subgrade preparation; traffic control; bypass pumping (if required); dewatering (if required); pavement repair; complete in place) Lump Sum _____
27. Junction box #12 (Bid to be inclusive of connections; excavation protection; concrete; foundation: base foundation preparation; subgrade preparation; traffic control; bypass pumping (if required); dewatering (if required); pavement repair; complete in place) Lump Sum _____

- 28. Junction box #13 (Bid to be inclusive of connections; excavation protection; concrete; foundation: base foundation preparation; subgrade preparation; traffic control; bypass pumping (if required); dewatering (if required); pavement repair; complete in place) Lump Sum _____
- 29. Remove exist storm pipes, manholes, Inlets, etc. Lump Sum _____
- 30. Traffic control as per plan Lump Sum _____

NOTE: Manholes & inlets to include connections to existing pipes as per plan.

Total Storm Sewer for Sprague Street: (19th to 8th Ave) \$ _____

PAVING IMPROVEMENTS: Sprague Street (19th Ave to 8th Ave)

- 1. Salvaged 8" compacted caliche Base w/prime coat 9072 SY _____
- 2. Mill 1 1/2" of undisturbed asphalt 9072 SY _____
- 3. 2" Hot mix asphaltic concrete With tack coat (2 courses 1" each) 18145 SY _____
- 4. Striping & markings (match existing) Lump Sum _____

Total Paving Improvements: Sprague Street (19th to 8th) \$ _____

STORM SEWER IMPROVEMENTS: 8th AVE (Sprague to Champion)

- 1. 30" Storm sewer (8'-10' cut) 250 LF _____
- 2. 30" Storm sewer (10'-12' cut) 500 LF _____
- 3. Trench excavation protection 750 LF _____

| | | | | | |
|----|---|---|----------|-------|-------|
| 4. | 72" Manhole (8'-10' cut) includes Pipe connections | 1 | EA | _____ | _____ |
| 5. | Type "A" curb inlet (8'-10' cut) | 1 | EA | _____ | _____ |
| 6. | Type "CC" grate inlet (8'-10' cut) | 1 | EA | _____ | _____ |
| 7. | Type "CC" grate inlet (10'-12' cut) | 2 | EA | _____ | _____ |
| 8. | Remove exist storm pipe, manholes, Inlets, etc. | | Lump Sum | _____ | _____ |
| 9. | Traffic Control as per plan | | Lump Sum | _____ | _____ |

NOTE: Manholes & inlets to include connections to existing pipes as per plan.

Total Storm Sewer for 8th Street: (Sprague to Champion): \$ _____

PAVING IMPROVEMENTS: 8th Ave. (Sprague to Champion)

| | | | | | |
|----|---|-----|----|-------|-------|
| 1. | Salvaged 8" compacted caliche Base w/prime coat | 968 | SY | _____ | _____ |
| 2. | 2" Hot mix asphaltic concrete With tack coat (2 courses 1" each) | 968 | SY | _____ | _____ |

Total Paving Improvements: 8th Ave. (Sprague to Champion) \$ _____

STORM SEWER IMPROVEMENTS: 12th Ave (Sprague to Champion)

| | | | | | |
|----|-----------------------------------|-----|----------|-------|-------|
| 1. | 24" Storm sewer (6'-8' cut) | 240 | LF | _____ | _____ |
| 2. | 24" Storm sewer (12'-14' cut) | 730 | LF | _____ | _____ |
| 3. | 60" Manhole (12'-14' cut) | 2 | EA | _____ | _____ |
| 4. | 72" Manhole (12'-14' cut) | 1 | EA | _____ | _____ |
| 5. | Type "CC" grate inlet (6'-8' cut) | 8 | EA | _____ | _____ |
| 6. | Traffic control as per plan | | Lump Sum | _____ | _____ |

NOTE: Manholes & inlets to include connections to existing pipes as per plan.

Total Storm Sewer Improvements: 12th Ave (Sprague to Champion) \$ _____

PAVING IMPROVEMENTS: 12th Ave. (Sprague to Champion)

| | | | | |
|----|---|----------|-------|-------|
| 1. | Salvaged 8" compacted caliche Base w/prime coat | 1117 SY | _____ | _____ |
| 2. | Mill 1 1/2" of undisturbed asphalt | 2235 SY | _____ | _____ |
| 3. | 2" Hot mix asphaltic concrete With tack coat (2 courses 1" each) | 3352 SY | _____ | _____ |
| 4. | Striping & markings (match existing) | Lump Sum | _____ | _____ |

Total Paving Improvements: 12th Ave. (Sprague to Champion) \$ _____

STORM SEWER IMPROVEMENTS: 15th Ave. (Sprague to Champion)

| | | | | | |
|----|-----------------------------------|----------|----|-------|-------|
| 1. | 24" Storm sewer (0'-6' cut) | 30 | LF | _____ | _____ |
| 2. | 24" Storm sewer (6'-8' cut) | 120 | LF | _____ | _____ |
| 3. | 24" Storm sewer (10'-12' cut) | 227 | LF | _____ | _____ |
| 4. | 24" Storm sewer (12'-14' cut) | 500 | LF | _____ | _____ |
| 5. | 60" Manhole (12'-14' cut) | 1 | EA | _____ | _____ |
| 6. | 72" Manhole (10'-12' cut) | 1 | EA | _____ | _____ |
| 7. | Type "CC" grate inlet (0'-6' cut) | 2 | EA | _____ | _____ |
| 8. | Type "CC" grate inlet (6'-8' cut) | 4 | EA | _____ | _____ |
| 9. | Traffic Control as per plan | Lump Sum | | _____ | _____ |

NOTE: Manholes & inlets to include connections to existing pipes as per plan.

Total Storm Sewer Improvements: 15th Ave (Sprague to Champion) \$ _____

PAVING IMPROVEMENTS: 15th Ave. (Sprague to Champion)

| | | | | | |
|----|---|----------|--|--|--|
| 1. | Salvaged 8" compacted caliche Base w/prime coat | 875 SY | | | |
| 2. | Mill 1 1/2" of undisturbed asphalt | 1750 SY | | | |
| 3. | 2" Hot mix asphaltic concrete With tack coat (2 courses 1" each) | 2625 SY | | | |
| 4. | Striping & markings (match existing) | Lump Sum | | | |

Total Paving Improvements: 15th Ave. (Sprague to Champion) \$ _____

SANITARY SEWER IMPROVEMENTS: Sprague Street (14th Ave to 10th Ave)

| | | | | | |
|----|---|-----|----|--|--|
| 1. | 15" PVC SDR26 (0'-6' cut) | 400 | LF | | |
| 2. | 15" PVC SDR26 (6'-8' cut) | 500 | LF | | |
| 3. | 15" PVC SDR26 (8'-10' cut) | 585 | LF | | |
| 4. | Manhole (0'-6' cut) | 1 | EA | | |
| 5. | Manhole (6'-8' cut) | 1 | EA | | |
| 6. | Manhole (8'-10' cut) | 1 | EA | | |
| 7. | Bore 24" steel casing 6' deep (Closner Blvd) | 1 | EA | | |
| 8. | Connect to existing manhole | 2 | EA | | |
| 9. | 4" Sanitary Sewer services | 40 | EA | | |

NOTE: Manholes & inlets to include connections to existing pipes as per plan.

Total Sanitary Sewer Improvements: Sprague \$ _____

WATER IMPROVEMENTS:

| | | | | | |
|----|-------------------|-----|----|-------|-------|
| 1. | 12" waterline | 400 | LF | _____ | _____ |
| 2. | 12" Coupling | 10 | EA | _____ | _____ |
| 3. | 12" Gate valves | 10 | EA | _____ | _____ |
| 4. | ¾" water services | 40 | EA | _____ | _____ |
| 5. | 6" waterline | 800 | LF | _____ | _____ |
| 6. | 6" Coupling | 10 | EA | _____ | _____ |
| 7. | 6" Gate valve | 10 | EA | _____ | _____ |

Total Water Improvements: \$ _____

Calendar Days: _____

Total Improvements: \$ _____

(Total In Words)

The above unit prices shall include all labor, materials, bailing, shoring, removal, overhead, profit, insurance, etc., to cover the finished work of the several kinds called for.

Bidder understands that the Owner reserves the right to reject any or all bids and to waive any informalities in the bidding.

The bidder agrees that this bid shall be good and may not be withdrawn for a period of 30 calendar days after the scheduled closing time for receiving bids.

Upon receipt of written notice of the acceptance of this bid, bidder will execute the formal contract attached within 10 days and deliver a Surety Bond or Bonds as required by Paragraph 46 of the General Conditions. The Bid security attached in the sum _____ is to become the property of the Owner in the event the contract and bond are not executed within the time above set forth, as liquidated damages for the delay and additional expense to the Owner cause thereby.

Respectfully submitted:

By: _____

(SEAL-if bid us by a corporation).

(Business Address & Zip Code)