

ADDENDUM NUMBER ONE (1)

DATE: May 15, 2012

RE: BID NO. 2012-75 – Bar Subdivision No. 5 Phase 2 – Drainage Improvements

OWNER: CITY OF EDINBURG

TO: ALL PROPOSERS, HOLDERS OF SPECIFICATIONS, AND ALL INTERESTED PARTIES TO THE CITY OF EDINBURG

BID OPEN: 3:00 P.M. (Central Time), Monday, May 21, 2012

The following clarifications, corrections and directives shall become part of the Proposal, Contract Documents and Specifications for BID No. 2012-75 – Bar Subdivision No. 5 Phase 2 – Drainage Improvements.

BID PROPOSAL FORM

1. Replace Bid Proposal Form, Pages C1-C5 with Revised Bid Proposal Form, Pages C1-C5 (SEE ATTACHMENTS). This includes the following:
 - a. Revised Sheet C3, DRAINAGE IMPROVEMENTS (RC PIPE CL. III), Item # 3 – RC PIPE (CL.III) (42") quantity to change to 666 L.F., Item # 12 – STREET (ASPHALT) PAVEMENT REPAIR quantity to change to 362 SY.
 - b. Revised Sheet C4, DRAINAGE IMPROVEMENTS (ADSN-12 PIPE), Item # 3 – ADSN-12 PIPE (42") quantity to change to 666 L.F., Item # 12 – STREET (ASPHALT) PAVEMENT REPAIR quantity to change to 362 SY.
 - c. Engineers Estimated Cost is approximately \$130,000.00.

PLANS

1. PROPOSED DRAINAGE PLAN AND PROFILE Sheets 1, 2 of 6, Revised the location of the 48" Drain Line along Doolittle Road as noted on plans that includes Itemize Quantity Table. (Attached)


CLARIFICATIONS:

1. The existing 48" drain line is located at 5.5-feet west from the centerline of Doolittle Road therefore the proposed 48" drain line will continue same alignment. It will include an increase of the Street (Asphalt) Pavement Repair item to accommodate proper backfill, compaction, and asphalt as required.


Please make the necessary corrections to the Plans and Proposal, as appropriate.

PLEASE ACKNOWLEDGE RECEIPT OF THIS ADDENDUM IN THE SPACE PROVIDED IN THE BID PROPOSAL FORM.

Approved by:


Ponciano N. Longoria, P.E., C.F.M.
City Engineer

Please direct your questions regarding the preparation of the bid to Mr. Ponciano Longoria, P.E., C.F.M. at (956) 388-8210.


Lorena Fuentes, Purchasing Agent

**ADDENDUM #1
REVISED BID PROPOSAL FORM**

**BID NO. 2012-75
BAR SUBDIVISION No. 5 PHASE 2
DRAINAGE IMPROVEMENTS
EDINBURG, TEXAS**

CDBG GRANT # B-11-MC-48-0503

**MR. PONCIANO LONGORIA, P.E., C.F.M.
DIRECTOR OF PUBLIC WORKS
CITY OF EDINBURG
415 W. UNIVERSITY DRIVE
EDINBURG, TEXAS 78541**

The undersigned, as bidder(s), declares that the only person or parties interested in this proposal as principals are those named herein, that this proposal is made without collusion with any other person, firm or corporation; that he has carefully examined the Form of Contract, Notice to Bidders, General Conditions, Special Provisions, Measurement and Basis of Payment, specifications and the plans thereon referred to, and has carefully examined the locations, and conditions and classes of materials of the proposed work; and agrees that he will provide all the necessary labor, machinery, tools, and apparatus, and other items incidental to construction, and will do all the work and furnish all the materials called for in the contract and specifications in the manner prescribed therein and according to the requirements of the Engineer/Architect as therein set forth.

It is understood that the following quantities of work to be done at unit prices are approximate only and are intended principally to serve as a guide in evaluating bids.

It is further agreed that the quantities of work to be done at unit price and materials to be furnished, may be increased or diminished as may be considered necessary, in the opinion of the Engineer, to complete the work fully as planned and contemplated, and that all quantities of the work, whether increased or decreased, are to be performed at the unit prices set forth below except as provided for in the specifications.

It is further agreed that lump sum prices may be increased to cover additional work ordered by the Engineer, but not shown on the plans or required by the specifications, in accordance with the provisions of the General Conditions. Similarly, they may be decreased to cover deletion of work so ordered.

The 5% bid security accompanying this proposal shall be returned to the bidder, unless in case of the acceptance of the proposal the bidder shall fail to execute a contract and file a performance bond and payment bond within the fifteen (15) days after Notice of Award, in which case the bid security shall become the property of the OWNER, and shall be considered as payment for damages due to delay and other inconveniences suffered by the Owner on account of such failure of the bidder. It is understood that the Owner reserves the right to reject any or all bids.

**ORIGINAL BID PROPOSAL FORM MUST BE SUBMITTED ALONG WITH THE BID AND CONTRACT DOCUMENTS
BOOKLET**

BIDDERS BOND in the amount of \$ _____, (5%) of the greatest amount bid in compliance with the INSTRUCTION TO BIDDERS.

The above Bank Certified Check or Bidder's Bond is to become the property of the City of Edinburg, Texas, in the event the construction contract (when offered by the Owner) and bonds are not executed within the time set forth.

IMPORTANT NOTE:
For information regarding the method UNIT ITEMS are to be MEASURED AND PAID, please refer to the "MEASUREMENT AND BASIS OF PAYMENT" Section attached and made part of this Proposal.

ESTIMATED QUANTITIES:

1. PREPARATION OF PROJECT IMPROVEMENTS:

Item No.	Estimated Quantity	Unit	Item Description	Unit Price	Total
1.	19.60	STA	PREPARATION OF RIGHT-OF-WAY, Clearing, Demolition, grubbing, trees and shrub removal, removal of existing asphalt and concrete pavement, street excavation, street filling, fine grading, including compaction, all necessary additional fills and cuts, hauling and spreading of select material at the areas indicated in the plans and from ROW line to ROW line or to the limits shown on the plans, all complete in place per station for	\$ _____	\$ _____
2.	1	LS	BARRICADES, SIGNS, AND TRAFFIC CONTROL PLAN, all complete in place until the final completion of the Project, for the lump sum price of	\$ _____	\$ _____
3.	1	LS	EROSION CONTROL DEVICES, as per the Plans and Specifications for the entire Project, all complete in place including maintenance and removal after the Project for the lump sum price of	\$ _____	\$ _____
4.	1	LS	CONSTRUCTION STAKING, of all areas.	\$ _____	\$ _____

TOTAL: PREPARATION OF PROJECT RIGHT-OF-WAY IMPROVEMENTS (ITEMS 1-4) \$ _____

2. DRAINAGE IMPROVEMENTS (RC PIPE CL. III) BID:

Item No.	Estimated Quantity	Unit	Item Description	Unit Price	Total
1.	643	LF	RC PIPE (CL. III) (24"), all depths, "Rubber-Gasket" joints, backfill, compaction and connection, as per plans and specifications (TX-Dot Item #464) complete in place per lineal foot for	\$ _____	\$ _____
2.	534	LF	RC PIPE (CL. III) (36"), all depths, "Rubber-Gasket" joints, backfill, compaction and connection, as per plans and specifications (TX-Dot Item #464) complete in place per lineal foot for	\$ _____	\$ _____

3.	666	LF	RC PIPE (CL. III) (42"), all depths, "Rubber-Gasket" joints, backfill, compaction and connection, as per plans and specifications (TX-Dot Item #464) complete in place per lineal foot for	\$ _____	\$ _____
4.	318	LF	RC PIPE (CL. III) (48"), all depths, "Rubber-Gasket" joints, backfill, compaction and connection, as per plans and specifications (TX-Dot Item #464) complete in place per lineal foot for	\$ _____	\$ _____
5.	2	EA	MANH (COMP) (60" DIA.), including cast iron ring and cover marked "Storm Sewer" with City of Edinburg Logo, all depths complete in place as per the plans and specifications per each for	\$ _____	\$ _____
6.	10	EA	INLET (COMP) (TY CC), includes concrete Inlet top with manhole ring and cover marked "Storm Sewer", precast box installed at depth of flow line elevation as specified in the Inlet Table, connections as per the plans and specifications (TX-Dot Item #465) complete in place per each for	\$ _____	\$ _____
7.	14	SY	DRIVEWAY (ASPHALT) REPAIR, with 1-1/2" compacted Hot Mix Asphaltic Concrete, 6" flex base, all as per the plans and specifications, all complete and in place per square yard for	\$ _____	\$ _____
8.	56	SY	DRIVEWAY (CALICHE) REPAIR, with 6" caliche flexible base, removal of existing material, re-grading and 95% standard compaction, all as per the plans and specifications, all complete and in place per square yard for	\$ _____	\$ _____
9.	50	SY	DRIVEWAY (CONCRETE) REPAIR, with 6" reinforced concrete pavement, including saw cut, removal of existing material, re-grading and compaction, all as per the plans and specifications, all complete and in place per square yard for	\$ _____	\$ _____
10.	1800	LF	TRENCH SAFETY SYSTEM, for Storm Sewer Lines for depths greater than 5-feet deep, complete in place per lineal foot for	\$ _____	\$ _____
11.	351	LF	REMOVE AND REPLACE DRIVEWAY EXISTING CULVERTS, removal and replacement of existing culverts for all concrete, asphalt, and caliche existing driveways to same or better condition, complete in place per lineal foot for	\$ _____	\$ _____
12.	362	SY	STREET (ASPHALT) PAVEMENT REPAIR, includes 2" compacted Hot Mix Asphaltic Concrete, 8" flex base, sand backfill, compacted as per the plans and specifications, all complete and in place per square yard for	\$ _____	\$ _____

TOTAL: DRAINAGE IMPROVEMENTS (RC PIPE CL. III) BID:
(Items 1-11)

\$ _____

2A. DRAINAGE IMPROVEMENTS (ADSN-12 PIPE) ALTERNATE BID:

Item No.	Estimated Quantity	Unit	Item Description	Unit Price	Total
1.	643	LF	ADS N-12 PIPE (24"), all depths, includes backfilling, compaction and connection, as per manufacture specifications complete in place per lineal foot for, or equivalent	\$ _____	\$ _____

2.	534	LF	ADS N-12 PIPE (36"), all depths, includes backfilling, compaction and connection, as per manufacture specifications complete in place per lineal foot for, or equivalent	\$ _____	\$ _____
3.	666	LF	ADS N-12 PIPE (42"), all depths, includes backfilling, compaction and connection, as per manufacture specifications complete in place per lineal foot for, or equivalent	\$ _____	\$ _____
4.	318	LF	ADS N-12 PIPE (48"), all depths, includes backfilling, compaction and connection, as per manufacture specifications complete in place per lineal foot for, or equivalent	\$ _____	\$ _____
5.	2	EA	MANH (COMP) (60" DIA.), including cast iron ring and cover marked "Storm Sewer" with City of Edinburg Logo, all depths complete in place as per the plans and specifications per each for	\$ _____	\$ _____
6.	10	EA	INLET (COMP) (TY CC), includes concrete inlet top with manhole ring and cover marked "Storm Sewer", precast box installed at depth of flow line elevation as specified in the Inlet Table, connections as per the plans and specifications (TX-Dot Item #465) complete in place per each for	\$ _____	\$ _____
7.	14	SY	DRIVEWAY (ASPHALT) REPAIR, with 1-1/2" compacted Hot Mix Asphaltic Concrete, 6" flex base, all as per the plans and specifications, all complete and in place per square yard for	\$ _____	\$ _____
8.	56	SY	DRIVEWAY (CALICHE) REPAIR, with 6" caliche flexible base, removal of existing material, re-grading and 95% standard compaction, all as per the plans and specifications, all complete and in place per square yard for	\$ _____	\$ _____
9.	50	SY	DRIVEWAY (CONCRETE) REPAIR, with 6" reinforced concrete pavement, including saw cut, removal of existing material, re-grading and compaction, all as per the plans and specifications, all complete and in place per square yard for	\$ _____	\$ _____
10.	1800	LF	TRENCH SAFETY SYSTEM, for Storm Sewer Lines for depths greater than 5-feet deep, complete in place per linear foot for	\$ _____	\$ _____
10.	351	LF	REMOVE AND REPLACE DRIVEWAY EXISTING CULVERTS, removal and replacement of existing culverts for all concrete, asphalt, and caliche existing driveways to same or better condition, complete in place per linear foot for	\$ _____	\$ _____
11.	362	SY	STREET (ASPHALT) PAVEMENT REPAIR, includes 2" compacted Hot Mix Asphaltic Concrete, 8" flex base, sand backfill, compacted as per the plans and specifications, all complete and in place per square yard for	\$ _____	\$ _____

TOTAL: DRAINAGE IMPROVEMENTS (ADSN-12 PIPE) : \$ _____
 (Items 1-11)

BASE BID:
 PREPARATION OF RIGHT-OF-WAY PROJECT IMPROVEMENTS: \$ _____

TOTAL DRAINAGE IMPROVEMENTS (RC PIPE CL. III): \$ _____

TOTAL IMPROVEMENTS UTILIZING (RC PIPE CL. III): BASE BID \$ _____

ALTERNATE BASE BID:	
PREPARATION OF RIGHT-OF-WAY PROJECT IMPROVEMENTS:	\$ _____
TOTAL DRAINAGE IMPROVEMENTS (ADSN-12 PIPE)	\$ _____
TOTAL IMPROVEMENTS UTILIZING (ADSN-12): ALTERNATE BID	\$ _____

The Number of Calendar days to complete contract 90.

The undersigned agrees, unless hereinafter stated otherwise to furnish all materials as shown and specified in the Plans and Specifications.

Bidder hereby agrees to commence work under this contract within 10 days after "NOTICE TO PROCEED" is issued, and to complete all the work in the Contract within 90 Calendar Days.

The undersigned bidder acknowledges the receipt of the following addenda:

ADDENDUM NO.	DATE	BY
ADDENDUM No. 1		
ADDENDUM No. 2		
ADDENDUM No. 3		
ADDENDUM No. 4		

Respectfully Submitted:

DATE: _____

BY: _____
(Signature)

(Type or Print Name)

(Title)

(Company)

(Address)

(City, State, Zip)

(Phone Number)


(Fax Number)

(Seal – If Bidder is a Corporation)

HORN, SYLVESTER L. & HARA
1320 MONTERREY ST
EDINBURG, TX 78549

VETERANS LAND BOARD
1700 N. CONGRESS AVE
AUSTIN, TX 78701

FALCON, JOSE S. JR.
4043 N. DOOLITTLE RD,
EDINBURG, TX 78542



LEGEND:

- PROPOSED 48" RCP
- PROPOSED REPAIR FACILITY (CONCRETE)
- PROPOSED REPAIR FACILITY (ASPHALT)
- PROPOSED REPAIR ASPHALT
- PROPOSED REPAIR CONCRETE
- PROPOSED REPAIR CAULK
- EXIST. 48" RCP LINE
- EXIST. 12" WATER LINE
- EXIST. 6" WATER LINE
- EXIST. GAS LINE
- EXIST. OVERHEAD ELECTRICAL LINE

7. CONTRACTOR SHALL NOTIFY CITY OF EDINBURG UTILITIES DEPT. BEFORE PERFORMING ALL UTILITY ADJUSTMENT.
8. ALL NOTCHING OF CONC. BOXES AND CONC. PIPES SHALL BE SUBSIDIARY TO ITEM 482 AND ITEM 484.
9. ALL CAPPING OF EXISTING CONC. BOXES AND CONC. PIPES SHALL BE SUBSIDIARY TO ITEM 482 AND ITEM 484.
10. THE CONTRACTOR SHALL CONDUCT ALL UTILITY COMPANIES PRIOR TO START OF CONSTRUCTION TO COORDINATE AND SCHEDULE ALL UTILITY ADJUSTMENTS.
11. CONTRACTOR SHALL REGRADE AND RESHAPE EXISTING DRAINAGE DITCH FOR POSITIVE DRAINAGE AND IS SUBSIDIARY TO ITEM 468.
12. CONTRACTOR TO CALL 1-800-DIG-TEST BEFORE START CONSTRUCTION. 5/16/17

1. THE LOCATION OF ALL EXISTING UTILITIES SHOWN ON THIS PLAN AND ANY OTHER UTILITIES SHALL BE EXAMINED BY THE FIELD ENGINEER AND VERIFY FIELD LOCATION OF ALL UTILITY CROSSING AND RELOCATE AS NECESSARY AT TIME OF CONSTRUCTION.
2. STREET REPAIR OVER PROPOSED DRAINAGE LINE AND STRUCTURES TO MATCH EXISTING CROWN AND SLOPE AND RESTRICT TO SMOOTH AND EVEN TRANSITION TO EXISTING PAVEMENT.
3. ANY LATERAL CONNECTIONS TO THE TRUNK LINE THROUGH AN INLET OR MANHOLE REQUIRED, SHALL BE SUBSIDIARY TO BID ITEM 484.
4. STATIONS AND OFFSETS ARE APPROXIMATE. FIELD VERIFICATION WILL BE REQUIRED TO DETERMINE ACTUAL LOCATIONS OF PROPOSED AND/OR EXISTING STRUCTURES.
5. ALL REINFORCED CONCRETE PIPE TO BE CLASS III.

NO.	STRUCTURE	DESCRIPTION	CONTRACTOR	DATE	NO. OF	NO. OF	NO. OF
					PROPOSED	PROPOSED	PROPOSED
1	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
2	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
3	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
4	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
5	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
6	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
7	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
8	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
9	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
10	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
11	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
12	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
13	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
14	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
15	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
16	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
17	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
18	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
19	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
20	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
21	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
22	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
23	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
24	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
25	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
26	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
27	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
28	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
29	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
30	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
31	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
32	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
33	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
34	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
35	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
36	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
37	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
38	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
39	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
40	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
41	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
42	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
43	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
44	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
45	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
46	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
47	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
48	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
49	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
50	48" RCP	STORM SEWER	100%	05/14/12	1	1	1

NO.	REVISION	DATE
1	PROP. 48" RCP PIPE NEW ALIGNMENT, REMOVE AND ADD NEW QUANTITIES	05/14/12

THE CITY OF EDINBURG
Department of Public Works

PROPOSED DRAINAGE PLAN AND PROFILE STA. 0+00 TO STA. 3+15

DATE: 5/16/17

PROJECT NO.: 17-000000-0000

DATE: 5/16/17

PROJECT NAME: 17-000000-0000

DATE: 5/16/17

PROJECT NO.: 17-000000-0000

DATE: 5/16/17

PROJECT NAME: 17-000000-0000

DATE: 5/16/17


PROJECT NO.: 17-000000-0000

DATE: 5/16/17

PROJECT NAME: 17-000000-0000

DATE: 5/16/17

NO.	REVISION	DATE
1	PROP. 48" RCP PIPE NEW ALIGNMENT, REMOVE AND ADD NEW QUANTITIES	05/14/12



NO.	STRUCTURE	DESCRIPTION	CONTRACTOR	DATE	NO. OF	NO. OF	NO. OF
					PROPOSED	PROPOSED	PROPOSED
1	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
2	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
3	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
4	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
5	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
6	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
7	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
8	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
9	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
10	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
11	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
12	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
13	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
14	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
15	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
16	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
17	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
18	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
19	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
20	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
21	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
22	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
23	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
24	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
25	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
26	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
27	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
28	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
29	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
30	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
31	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
32	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
33	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
34	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
35	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
36	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
37	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
38	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
39	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
40	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
41	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
42	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
43	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
44	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
45	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
46	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
47	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
48	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
49	48" RCP	STORM SEWER	100%	05/14/12	1	1	1
50	48" RCP	STORM SEWER	100%	05/14/12	1	1	1

