



INVITATION TO BID

ADDENDUM NUMBER ONE (1)

DATE: NOVEMBER 05, 2009
RE: BID NO. 2010-35 – REGENERATIVE AIR SWEEPER
OWNER: CITY OF EDINBURG
TO: ALL BIDDERS, HOLDERS OF SPECIFICATIONS, AND ALL INTERESTED PARTIES TO THE CITY OF EDINBURG

SPECIFICATIONS ADDENDUM ITEM AS SPECIFIED BELOW:


- Replace original Specifications with the attached Specifications.

PLEASE ACKNOWLEDGE RECEIPT OF THIS ADDENDUM IN THE SPACE PROVIDED BELOW AND INCLUDE THIS FORM IN YOUR BID PROPOSAL.

NAME: _____ TITLE: _____

COMPANY NAME: _____

Please direct your questions regarding specifications to Mr. Joe Zamora, Streets Superintendent at (956) 292-2122.



Lorena Fuentes, Purchasing Agent



210 W. McIntyre • P.O. Box 1079 • Edinburg, Texas 78540
Phone (956) 383-5661 • Fax (956) 383-7111



GENERAL SPECS FOR REGENERATIVE AIR SWEEPER

Engine

Diesel 4 Cylinder ✓
99 Horsepower minimum ✓

Blower

Repairable housing

Dust Separator

Standard for your model

Hopper

6 cubic yard useable capacity minimum

Pick up head

87" wide minimum

Gutter Brooms

Dual with flood lights and mirrors
Drive non reversible hydraulic motor
Broom 42" minimum diameter

Hydraulic

Cooling system standard for your model

Controls

Inside cab, lighted pickup head, gutter broom, ignition and tachometer (auxiliary engine), voltmeter, low water warning system, safety lights, hour meter, outside cab-dump switch, dual steering

Safety Warning devices

Amber rear mounted alternating flashing warning lights
Amber strobe light with limb guard

Cab and Chassis Specs

Year model 2010 International Chassis
GVW 30,000 lbs
Frame 50,000 psi
Engine 175 horse power minimum
Transmission 5 speed automatic
Alternator 100 amp minimum
Batteries 12V 1100 CCA minimum
Fuel tank 40 gallon minimum
Steering-Integral power assist
Brake dual air w/air compressor
Instruments and lights full package

Optional Equipment

Hopper liner

Auxiliary hand hose 8" minimum

Hand Hose hydraulic boom assist

Broom assist pick up head.